


Adjustable Gain Magnetic & Piezo Pickup Dual Buffer/Preamp for +9V or +18V

This diagram shows the **AGMPBoo** with two blended Magnetic pickups and Piezo pickup(s) blended into an NTMB three-band EQ tone control. The AGMPBoo dual-channel gain controls are adjustable for the perfect balance of the pickups while maintaining a flat frequency response. Piezo input can be on the purple wire or on the pins when using standard saddle plugs.



The negative side of the battery(ies) should be connected to the jack ring so that power is turned on only when the plug is in. Unplug the instrument when not in use to conserve your battery.

This Sample wiring diagram is not meant to represent what is included with the AGMPBoo but is only one suggestion of how it may be used in an instrument with 2 magnetic and piezo pickup(s). See the product page for details:

Ordering Details:

<https://bartolini.net/product/agmpb/>

Model/SKU	Description	UPC
AGMPBoo/Kit	Buffer, Adjustable Gain, Dual Channel - 1 Magnetic, 1 Piezo with flat response, 9 or 18V w/ Active Blend Pot	682384506950
HR-5.0/918	Band NTMB+F Preamp, Prewired with 5 Pots: (Volume) (Blend) (Treble) (Mid) (Bass) All Bartolini active pre-wired harnesses maybe used in place of the HR-5.0 and will be wired similarly.	682384504680